

## INDICATIVE SEAL

### MINI FAST SEAL (MFS)

Pull-Tight Seal

***Small and sophisticated design for comprehensive security and authentication.***

Mini Fast Seal is easy to use, compact and perfect for small-sized sealing requirements. It is designed with a slim structure to mainly suit its smaller locking latches application. This delicately designed seal is suitable for security and authentication purposes with saving space in mind.


#### Applications:

- Retail Applications
- Fire Extinguishers
- Logistics
- Banking




PREVENTION • PROTECTION • PEACE OF MIND






- 1** The Mini Fast Seal is moulded with Polypropylene (PP) or high-impact Nylon (NY) material with the metal lock heat staking encapsulated for greater security and clear evidence of tampering.
- 2** One-way locking mechanism is embedded for fast and easy application.
- 3** Irreversible identifiers such as name, logo, barcode, serial number and QR code are laser-marked on the flap.
- 4** Biodegradable additives material for the seal are available.

## LASER MARKING OPTION



## VIEW APPLICATION GIF



## TECHNICAL SPECIFICATIONS

## PRODUCT - MINI FAST SEAL (MFS)

Code	Material	Locking Length	Locking Size	Tensile Strength	Marking Area	Max Marking Digits
<b>MFS</b>	<b>Plastic :</b> Polypropylene (PP) <i>Temperature Range:</i> -5°C to 80°C High-impact Nylon (NY) <i>Temperature Range:</i> -20°C to 80°C <b>Metal Jaw :</b> Stainless Steel (SUS 304)	129 mm (5 in)	Ø 1.5 mm (0.1 in)	<b>PP:</b> ≥8 kgf (≥17.6 lbf) <b>NY:</b> ≥9 kgf (≥19.8 lbf)	14 x 32 mm (0.6 x 1.3 in)	<b>Serial no : 10</b> <b>Barcode : 10</b>

## PACKAGING

Carton	Quantity	Dimensions (mm)	Gross Weight (kg)	Volume (m³)	Standard Pastel / Solid Colours
<b>Inner</b>	1000	255 x 205 x 145 (10.0 x 8.1 x 5.7 in)	1.96 - 1.98 (4.3 - 4.4 lb)	0.008 (0.3 cu.ft.)	<b>Polypropylene :</b> Body : WH PSYL PSOR PSRD PSBL PSGN Cap : TRNS WH MILKY (BIO)

## Nylon :

Body : WH B YL G RD

Cap : TRNS WH MILKY (BIO)

For colour customisations, kindly contact us for further information.

**Updated Date : 24 June 2022**